



RECEIPT  
AUG 23 2001  
151755-A  
SEARCH CENTER 160/2000  
RECEIVED

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

JONATHAN N. HOWARTH, ET AL.

SERIAL NO.: 09/778,228

FILED: FEBRUARY 6, 2001

FOR: MICROBIOLOGICAL CONTROL IN  
AQUEOUS SYSTEMS

DATE: June 25, 2001

GROUP ART UNIT: 1615

EXAMINER: UNASSIGNED

Commissioner for Patents  
Washington, DC 20231

ATTENTION: **OFFICE OF INITIAL PATENT EXAMINATION  
CUSTOMER SERVICE CENTER**


Sir:

**REQUEST FOR CORRECTED FILING RECEIPT**

The Filing Receipt with respect to the captioned application was received by Albemarle Corporation's Law Department on May 10, 2001. Upon review of the document, it was noted that information as to a priority application was not cited on the Filing Certificate. The U.S. Patent Office was not given such information at the time of filing of the subject application due to the fact that the priority application was filed, via Express Mail, on February 2, 2001, and the return postcard and Filing Receipt had not yet been received by the Applicants and, therefore, the Application Number was not known to Applicants. The correction is noted on the copy of the Filing Receipt attached hereto.

It is therefore requested that a "Corrected Filing Receipt" be issued.

Respectfully submitted,



Edgar E. Spielman, Jr.  
Reg. No. 25,929  
Attorney for Applicant(s)

Telephone: (225) 388-7604



O I P E  
JUN 29 2001  
SCT 173  
PATENT & TRADEMARK OFFICE  
UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED  
Page 1 of 4  
AUG 23 2001  
E25  
TECH CENTER 1600  
1600  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING DATE	GRP ART UNIT	FIL FEE REC'D	ATTY.DOCKET.NO	DRAWINGS	TOT CLAIMS	IND CLAIMS
09/778,228	02/06/2001	1615	2300	SU-7155-A	2	40	6

*Plus multiple*

CONFIRMATION NO. 5749

FILING RECEIPT



\*OC000000006036898\*

PIPPENGER, PHILLIP M. *PHILIP*  
ALBEMARLE CORPORATION  
451 FLORIDA BLVD.  
BATON ROUGE, LA 70801

Date Mailed: 05/03/2001

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Customer Service Center. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Jonathan N. Howarth, Baton Rouge, LA;  
Christopher J. Nalepa, Baton Rouge, LA;  
Michael J. Sanders, Baton Rouge, LA;



Domestic Priority data as claimed by applicant

THIS APPLICATION IS A CIP OF 09/484,938 01/18/2000

*AND 09/775,516 02/02/2001*

Foreign Applications

If Required, Foreign Filing License Granted 05/02/2001


Projected Publication Date: Request for Non-Publication Acknowledged

Non-Publication Request: Yes

Early Publication Request: No

Title

Microbiological control in aqueous systems



Preliminary Class

424

---

Data entry by : TRUONG, T

Team : OIPE

Date: 05/03/2001

**LICENSE FOR FOREIGN FILING UNDER  
Title 35, United States Code, Section 184  
Title 37, Code of Federal Regulations, 5.11 & 5.15**

**GRANTED**

The applicant has been granted a license under 35 U.S.C. 184, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" followed by a date appears on this form. Such licenses are issued in all applications where the conditions for issuance of a license have been met, regardless of whether or not a license may be required as set forth in 37 CFR 5.15. The scope and limitations of this license are set forth in 37 CFR 5.15(a) unless an earlier license has been issued under 37 CFR 5.15(b). The license is subject to revocation upon written notification. The date indicated is the effective date of the license, unless an earlier license of similar scope has been granted under 37 CFR 5.13 or 5.14.

This license is to be retained by the licensee and may be used at any time on or after the effective date thereof unless it is revoked. This license is automatically transferred to any related applications(s) filed under 37 CFR 1.53(d). This license is not retroactive.

The grant of a license does not in any way lessen the responsibility of a licensee for the security of the subject matter as imposed by any Government contract or the provisions of existing laws relating to espionage and the national security or the export of technical data. Licensees should apprise themselves of current regulations especially with respect to certain countries, of other agencies, particularly the Office of Defense Trade Controls, Department of State (with respect to Arms, Munitions and Implements of War (22 CFR 121-128); the Office of Export Administration, Department of Commerce (15 CFR 370.10 (j)); the Office of Foreign Assets Control, Department of Treasury (31 CFR Parts 500+) and the Department of Energy.

**NOT GRANTED**

No license under 35 U.S.C. 184 has been granted at this time, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" DOES NOT appear on this form. Applicant may still petition for a license under 37 CFR 5.12, if a license is desired before the expiration of 6 months from the filing date of the application. If 6 months has lapsed from the filing date of this application and the licensee has not received any indication of a secrecy order under 35 U.S.C. 181, the licensee may foreign file the application pursuant to 37 CFR 5.15 (b).

**PLEASE NOTE the following information about the Filing Receipt:**

- The articles such as "a," "an" and "the" are not included as the first words in the title of an application. They are considered to be unnecessary to the understanding of the title.
- The words "new," "improved," "improvements in" or "relating to" are not included as first words in the title of an application because a patent application, by nature, is a new idea or improvement.
- The title may be truncated if it consists of more than 500 characters (letters and spaces combined).
- The docket number allows a maximum of 25 characters.
- If your application was submitted under 37 CFR 1.10, your filing date should be the "date in" found on the Express Mail label. If there is a discrepancy, you should submit a request for a corrected Filing Receipt along with a copy of the Express Mail label showing the "date in."
- The title is recorded in sentence case.

Any corrections that may need to be done to your Filing Receipt should be directed to:

Assistant Commissioner for Patents  
Office of Initial Patent Examination  
Customer Service Center  
Washington, DC 20231

RE-  
 ECEIVED  
 6/14/2001  
 USPTO  
 100  
 200  
 300  
 400  
 500  
 600  
 700  
 800  
 900  
 1000  
 1100  
 1200  
 1300  
 1400  
 1500  
 1600  
 1700  
 1800  
 1900  
 2000  
 2100  
 2200  
 2300  
 2400  
 2500  
 2600  
 2700  
 2800  
 2900  
 3000  
 3100  
 3200  
 3300  
 3400  
 3500  
 3600  
 3700  
 3800  
 3900  
 4000  
 4100  
 4200  
 4300  
 4400  
 4500  
 4600  
 4700  
 4800  
 4900  
 5000  
 5100  
 5200  
 5300  
 5400  
 5500  
 5600  
 5700  
 5800  
 5900  
 6000  
 6100  
 6200  
 6300  
 6400  
 6500  
 6600  
 6700  
 6800  
 6900  
 7000  
 7100  
 7200  
 7300  
 7400  
 7500  
 7600  
 7700  
 7800  
 7900  
 8000  
 8100  
 8200  
 8300  
 8400  
 8500  
 8600  
 8700  
 8800  
 8900  
 9000  
 9100  
 9200  
 9300  
 9400  
 9500  
 9600  
 9700  
 9800  
 9900  
 10000  
 10100  
 10200  
 10300  
 10400  
 10500  
 10600  
 10700  
 10800  
 10900  
 11000  
 11100  
 11200  
 11300  
 11400  
 11500  
 11600  
 11700  
 11800  
 11900  
 12000  
 12100  
 12200  
 12300  
 12400  
 12500  
 12600  
 12700  
 12800  
 12900  
 13000  
 13100  
 13200  
 13300  
 13400  
 13500  
 13600  
 13700  
 13800  
 13900  
 14000  
 14100  
 14200  
 14300  
 14400  
 14500  
 14600  
 14700  
 14800  
 14900  
 15000  
 15100  
 15200  
 15300  
 15400  
 15500  
 15600  
 15700  
 15800  
 15900  
 16000  
 16100  
 16200  
 16300  
 16400  
 16500  
 16600  
 16700  
 16800  
 16900  
 17000  
 17100  
 17200  
 17300  
 17400  
 17500  
 17600  
 17700  
 17800  
 17900  
 18000  
 18100  
 18200  
 18300  
 18400  
 18500  
 18600  
 18700  
 18800  
 18900  
 19000  
 19100  
 19200  
 19300  
 19400  
 19500  
 19600  
 19700  
 19800  
 19900  
 20000  
 20100  
 20200  
 20300  
 20400  
 20500  
 20600  
 20700  
 20800  
 20900  
 21000  
 21100  
 21200  
 21300  
 21400  
 21500  
 21600  
 21700  
 21800  
 21900  
 22000  
 22100  
 22200  
 22300  
 22400  
 22500  
 22600  
 22700  
 22800  
 22900  
 23000  
 23100  
 23200  
 23300  
 23400  
 23500  
 23600  
 23700  
 23800  
 23900  
 24000  
 24100  
 24200  
 24300  
 24400  
 24500  
 24600  
 24700  
 24800  
 24900  
 25000  
 25100  
 25200  
 25300  
 25400  
 25500  
 25600  
 25700  
 25800  
 25900  
 26000  
 26100  
 26200  
 26300  
 26400  
 26500  
 26600  
 26700  
 26800  
 26900  
 27000  
 27100  
 27200  
 27300  
 27400  
 27500  
 27600  
 27700  
 27800  
 27900  
 28000  
 28100  
 28200  
 28300  
 28400  
 28500  
 28600  
 28700  
 28800  
 28900  
 29000  
 29100  
 29200  
 29300  
 29400  
 29500  
 29600  
 29700  
 29800  
 29900  
 30000  
 30100  
 30200  
 30300  
 30400  
 30500  
 30600  
 30700  
 30800  
 30900  
 31000  
 31100  
 31200  
 31300  
 31400  
 31500  
 31600  
 31700  
 31800  
 31900  
 32000  
 32100  
 32200  
 32300  
 32400  
 32500  
 32600  
 32700  
 32800  
 32900  
 33000  
 33100  
 33200  
 33300  
 33400  
 33500  
 33600  
 33700  
 33800  
 33900  
 34000  
 34100  
 34200  
 34300  
 34400  
 34500  
 34600  
 34700  
 34800  
 34900  
 35000  
 35100  
 35200  
 35300  
 35400  
 35500  
 35600  
 35700  
 35800  
 35900  
 36000  
 36100  
 36200  
 36300  
 36400  
 36500  
 36600  
 36700  
 36800  
 36900  
 37000  
 37100  
 37200  
 37300  
 37400  
 37500  
 37600  
 37700  
 37800  
 37900  
 38000  
 38100  
 38200  
 38300  
 38400  
 38500  
 38600  
 38700  
 38800  
 38900  
 39000  
 39100  
 39200  
 39300  
 39400  
 39500  
 39600  
 39700  
 39800  
 39900  
 40000  
 40100  
 40200  
 40300  
 40400  
 40500  
 40600  
 40700  
 40800  
 40900  
 41000  
 41100  
 41200  
 41300  
 41400  
 41500  
 41600  
 41700  
 41800  
 41900  
 42000  
 42100  
 42200  
 42300  
 42400  
 42500  
 42600  
 42700  
 42800  
 42900  
 43000  
 43100  
 43200  
 43300  
 43400  
 43500  
 43600  
 43700  
 43800  
 43900  
 44000  
 44100  
 44200  
 44300  
 44400  
 44500  
 44600  
 44700  
 44800  
 44900  
 45000  
 45100  
 45200  
 45300  
 45400  
 45500  
 45600  
 45700  
 45800  
 45900  
 46000  
 46100  
 46200  
 46300  
 46400  
 46500  
 46600  
 46700  
 46800  
 46900  
 47000  
 47100  
 47200  
 47300  
 47400  
 47500  
 47600  
 47700  
 47800  
 47900  
 48000  
 48100  
 48200  
 48300  
 48400  
 48500  
 48600  
 48700  
 48800  
 48900  
 49000  
 49100  
 49200  
 49300  
 49400  
 49500  
 49600  
 49700  
 49800  
 49900  
 50000  
 50100  
 50200  
 50300  
 50400  
 50500  
 50600  
 50700  
 50800  
 50900  
 51000  
 51100  
 51200  
 51300  
 51400  
 51500  
 51600  
 51700  
 51800  
 51900  
 52000  
 52100  
 52200  
 52300  
 52400  
 52500  
 52600  
 52700  
 52800  
 52900  
 53000  
 53100  
 53200  
 53300  
 53400  
 53500  
 53600  
 53700  
 53800  
 53900  
 54000  
 54100  
 54200  
 54300  
 54400  
 54500  
 54600  
 54700  
 54800  
 54900  
 55000  
 55100  
 55200  
 55300  
 55400  
 55500  
 55600  
 55700  
 55800  
 55900  
 56000  
 56100  
 56200  
 56300  
 56400  
 56500  
 56600  
 56700  
 56800  
 56900  
 57000  
 57100  
 57200  
 57300  
 57400  
 57500  
 57600  
 57700  
 57800  
 57900  
 58000  
 58100  
 58200  
 58300  
 58400  
 58500  
 58600  
 58700  
 58800  
 58900  
 59000  
 59100  
 59200  
 59300  
 59400  
 59500  
 59600  
 59700  
 59800  
 59900  
 60000  
 60100  
 60200  
 60300  
 60400  
 60500  
 60600  
 60700  
 60800  
 60900  
 61000  
 61100  
 61200  
 61300  
 61400  
 61500  
 61600  
 61700  
 61800  
 61900  
 62000  
 62100  
 62200  
 62300  
 62400  
 62500  
 62600  
 62700  
 62800  
 62900  
 63000  
 63100  
 63200  
 63300  
 63400  
 63500  
 63600  
 63700  
 63800  
 63900  
 64000  
 64100  
 64200  
 64300  
 64400  
 64500  
 64600  
 64700  
 64800  
 64900  
 65000  
 65100  
 65200  
 65300  
 65400  
 65500  
 65600  
 65700  
 65800  
 65900  
 66000  
 66100  
 66200  
 66300  
 66400  
 66500  
 66600  
 66700  
 66800  
 66900  
 67000  
 67100  
 67200  
 67300  
 67400  
 67500  
 67600  
 67700  
 67800  
 67900  
 68000  
 68100  
 68200  
 68300  
 68400  
 68500  
 68600  
 68700  
 68800  
 68900  
 69000  
 69100  
 69200  
 69300  
 69400  
 69500  
 69600  
 69700  
 69800  
 69900  
 70000  
 70100  
 70200  
 70300  
 70400  
 70500  
 70600  
 70700  
 70800  
 70900  
 71000  
 71100  
 71200  
 71300  
 71400  
 71500  
 71600  
 71700  
 71800  
 71900  
 72000  
 72100  
 72200  
 72300  
 72400  
 72500  
 72600  
 72700  
 72800  
 72900  
 73000  
 73100  
 73200  
 73300  
 73400  
 73500  
 73600  
 73700  
 73800  
 73900  
 74000  
 74100  
 74200  
 74300  
 74400  
 74500  
 74600  
 74700  
 74800  
 74900  
 75000  
 75100  
 75200  
 75300  
 75400  
 75500  
 75600  
 75700  
 75800  
 75900  
 76000  
 76100  
 76200  
 76300  
 76400  
 76500  
 76600  
 76700  
 76800  
 76900  
 77000  
 77100  
 77200  
 77300  
 77400  
 77500  
 77600  
 77700  
 77800  
 77900  
 78000  
 78100  
 78200  
 78300  
 78400  
 78500  
 78600  
 78700  
 78800  
 78900  
 79000  
 79100  
 79200  
 79300  
 79400  
 79500  
 79600  
 79700  
 79800  
 79900  
 80000  
 80100  
 80200  
 80300  
 80400  
 80500  
 80600  
 80700  
 80800  
 80900  
 81000  
 81100  
 81200  
 81300  
 81400  
 81500  
 81600  
 81700  
 81800  
 81900  
 82000  
 82100  
 82200  
 82300  
 82400  
 82500  
 82600  
 82700  
 82800  
 82900  
 83000  
 83100  
 83200  
 83300  
 83400  
 83500  
 83600  
 83700  
 83800  
 83900  
 84000  
 84100  
 84200  
 84300  
 84400  
 84500  
 84600  
 84700  
 84800  
 84900  
 85000  
 85100  
 85200  
 85300  
 85400  
 85500  
 85600  
 85700  
 85800  
 85900  
 86000  
 86100  
 86200  
 86300  
 86400  
 86500  
 86600  
 86700  
 86800  
 86900  
 87000  
 87100  
 87200  
 87300  
 87400  
 87500  
 87600  
 87700  
 87800  
 87900  
 88000  
 88100  
 88200  
 88300  
 88400  
 88500  
 88600  
 88700  
 88800  
 88900  
 89000  
 89100  
 89200  
 89300  
 89400  
 89500  
 89600  
 89700  
 89800  
 89900  
 90000  
 90100  
 90200  
 90300  
 90400  
 90500  
 90600  
 90700  
 90800  
 90900  
 91000  
 91100  
 91200  
 91300  
 91400  
 91500  
 91600  
 91700  
 91800  
 91900  
 92000  
 92100  
 92200  
 92300  
 92400  
 92500  
 92600  
 92700  
 92800  
 92900  
 93000  
 93100  
 93200  
 93300  
 93400  
 93500  
 93600  
 93700  
 93800  
 93900  
 94000  
 94100  
 94200  
 94300  
 94400  
 94500  
 94600  
 94700  
 94800  
 94900  
 95000  
 95100  
 95200  
 95300  
 95400  
 95500  
 95600  
 95700  
 95800  
 95900  
 96000  
 96100  
 96200  
 96300  
 96400  
 96500  
 96600  
 96700  
 96800  
 96900  
 97000  
 97100  
 97200  
 97300  
 97400  
 97500  
 97600  
 97700  
 97800  
 97900  
 98000  
 98100  
 98200  
 98300  
 98400  
 98500  
 98600  
 98700  
 98800  
 98900  
 99000  
 99100  
 99200  
 99300  
 99400  
 99500  
 99600  
 99700  
 99800  
 99900  
 100000



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
 UNITED STATES PATENT AND TRADEMARK OFFICE  
 WASHINGTON, D.C. 20231  
 www.uspto.gov

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

Only one character per space is allowed. Therefore, punctuation which is usually placed above or below a letter, such as an umlaut (..), cannot be included on the Filing Receipt.

Any corrections that may need to be done to your Filing Receipt should be directed to:

Assistant Commissioner for Patents  
Office of Initial Patent Examination  
Customer Service Center  
Washington, DC 20231

---

*A copy of this notice **MUST** be returned with the reply.*

*NH*

Customer Service Center  
Initial Patent Examination Division (703) 308-1202  
PART 3 - OFFICE COPY